DATE OF COMPILATION: 02.08.2021

REVISION: -

VERSION NUMBER: 1.0

Safety data sheet in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. PRODUCT IDENTIFIER

#### Trade name: TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

- Designation: Toilet block on the basis of surface-active agents, fragrant component and dyes, intended for washing and refreshing toilet bowls.
- Contains: Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts; Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts.

#### 1.2. <u>RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED</u> <u>AGAINST</u>

Identified uses: Product for cleaning and refreshing toilet bowls.

Uses advised against: any type of uses not mentioned above and in point 7.3

#### 1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

Manufacturer:	GLOBAL COSMED GROUP S.A.
Address:	ul. Kuziennicza 15, 59-400 Jawor
Telephone:	(76) 870-30-31
E-mail address for a	person responsible for the SDS: sekretariat.jawor@globalcosmed.eu

Supplier:	Global Cosmed GmbH.			
Address:	Osterbekstraße 90 a, D-22083 Hamburg, Germany			
Telephone:	+49 (0) 40 64 60 429-30			

#### 1.4. EMERGENCY TELEPHONE NUMBER

+ 48 76 870 30 31 (MO. TO FR. 8:00 - 16:00) OR 112 +49 40 64 60 429 - 0 (MO. TO FR. 8:00 - 17:00) OR 112

#### SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

The mixture is classified according to REGULATION (EC) No 1272/2008 as:

Eye Dam. 1 - Eye Damage of category 1 with hazard statement: H318 Causes serious eye damage.

Skin Irrit. 2 - Skin Irritation of category 2 with hazard statement: H315 Causes skin irritation.

TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

Manufacturer: GLO Address: ul. Kr Telephone/Fax +48

Trade name:

GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

Aquatic Chronic 3 - Hazardous to the aquatic environment – Chronic Hazard of category 3 with hazard statement: H412 Harmful to aquatic life with long lasting effects.

## 2.2. LABEL ELEMENTS

Hazard pictogram:



Signal word: Danger

#### Hazard statements:

H318 Causes serious eye damage.

H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary Statements:**

P102	Keep out of reach of children.
P101	If medical advice is needed, have product container or label at hand.
P280	Wear protective gloves and eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water with soap.
P501	Dispose of container to segregated municipal waste collection.

Contains: Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts; Sulfonic acids, C14-16 (evennumbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts.

#### Supplemental label elements:

EUH208 Contains: 3,7-dimethyloctan-3-ol, Coumarin, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one. May produce an allergic reaction.

#### Detergent labeling according to Detergent Regulation 648/2004/EC:

**Constituents:** anionic surfactants >30%; non-ionic surfactants <5%; perfumes, Coumarin, Citronellol, Citral, Limonene, Linalool.

#### 2.3. OTHER HAZARDS

The ingredients of mixture do not meet the criteria for PBT and vPvB.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. SUBSTANCES

Trade name: Manufacturer: Address: Telephone/Fax

#### TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

not applicable.

#### 3.2. MIXTURES

Hazard substances and substances for which there are Community workplace exposure limits:

Substance name	Concentr ation (% m/m)	Number CAS	Number WE	Number registration	Classification in accordance with Directive (WE) nr 1272/2008
Benzenesulfonic acid, C10- 13-alkyl derivs., sodium	20 - 30	68411-30-3	270-115-0	01-2119489428-22-0039	Acute Tox. 4; H302
salts					Eye Dam. 1; H318
					Skin Irrit. 2; H315
					Aquatic Chronic 3; H412
Sulfonic acids, C14-16	5 - 10	68439-57-6	270-407-8	01-2119513401-57- xxxxx	Eye Dam. 1, H318
(even numbered)-alkane hydroxy and C14-16 (even					Skin Irrit. 2, H315
numbered)-alkene, sodium salts			[931-534-0]		
Sodium carbonate	5-10	497-19-8	207-838-8	01-2119485498-19-xxxx	Eye Irrit. 2; H319
Sulfuric acid, mono-C12- 18-alkyl esters, sodium	1-10	68955-19-1	273-257-1	01-2119490225-39-xxxx	Skin Irrit. 2, H315
salts					Eye Dam. 1, H318
					Aquatic Chronic 3; H412
					Specific concentration limits: Eye Dam. 1, H318; C ≥ 20 % Eye Irrit.2, H319; 10 % ≤ C < 20 %
Alcohols, C12-15,		00404.00.5	500 405 7		Acute Tox. 4; H302
ethoxylated	1-2	68131-39-5	500-195-7	-	Eye Dam. 1; H318
					Aquatic Chronic 3; H412
Amides, C12-18(even-	0,1 – 1,0	90622-77-8	292-481-0	01-2119489413-33-xxxx	Skin Irrit. 2, H315
numbered) and C18(unsatd.), N-					Eye Dam. 1, H318
hydroxyethyl					Aquatic Chronic. 2; H411
3,7-dimethyloctan-3-ol	0,2 - 0,4	78-69-3	201-133-9	01-2119454788-21-xxxx	Skin Irrit. 2, H315
(ingredient of fragrance)	, -,-				Eye Irrit. 2; H319
					Skin Sens. 1B; H317
Reaction Mass of 1- (1,2,3,4,5,6,7,8-octahydro-	0,1 – 0,2	54464-57-2	259-174-3	01-2119489989-04-xxxx	Skin Irrit. 2; H315
2,3,8,8-tetramethyl-2- naphthyl)ethan-1-one and					Skin Sens. 1; H317
1-(1,2,3,4,6,7,8,8a- octahydro-2,3,8,8-			[915-730-3]		Aquatic Acute 1; H400

Trade name: Manufacturer: Address: Telephone/Fax

#### TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

Coumarin (ingredient of fragrance)0,1	1 – 0,2	91-64-5	202-086-7	01-2119949300-45-xxxx	Acute Tox. 4; H302 Skin Sens. 1B; H317

<sup>1)</sup> A substance with EU workplace exposure limits.

Full texts of hazard statements is listed in section 16.

#### SECTION 4 : FIRST AID MEASURES

#### 4.1 DESCRIPTION OF FIRST AID MEASURES

#### Inhalation:

no an inhalation hazard under normal conditions of use;

#### Eye:

- flush with plenty of water for at least 10-15 minutes with the eyelids held wide open, avoid strong stream of water, which can cause cornea injury;
- do not use any medicines before getting medical attention;
- remove any contact lenses;
- seek medical attention;

#### <u>Skin:</u>

- remove contaminated clothing;
- flush with plenty of water;
- seek medical advice.

#### Ingestion:

- rinse mouth with plenty of water;
- do not induce vomiting;
- if vomiting occurs, the head should be kept low so that the vomit does not enter the lungs (aspiration);
- seek medical attention.

#### 4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED

- inhalation none;
- skin contact irritation, redness;
- eye contact serious eye damage, irritation, pain, watering, redness;
- ingestion irritant to mouth, throat and stomach.
- **4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED** No data available.

# SECTION 5. FIREFIGHTING MEASURES

# 5.1. EXTINGUISHING MEDIA

Suitable extinguishing media: extinguishing dry chemical powder, foam. Unsuitable extinguishing media: direct water jet.

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE Combustion products: sulphur oxides and carbon oxides.

# **5.3.** <u>ADVICE FOR FIREFIGHTERS</u> Wear full fire resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Trade name: Manufacturer: Address: Telephone/Fax TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION) GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. <u>PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES</u> For non-emergency personnel:

- avoid contact with skin and eyes;
- wear chemical protection gloves and suits;
- wear appropriate goggles.
  - For emergency responders:

Suitable fabric for personal protective clothing:

- appropriate: gloves nitrile rubber, neoprene, PVC, according to EN 374; suitability and durability of gloves is dependent on application, frequency, duration of contact, chemical resistance of glove material.
- not appropriate: no data.

#### 6.2. ENVIRONMENTAL PRECAUTIONS

keep away from drains, surface- and ground-water and soil.

#### 6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

- clean up spillage promptly;
- collect free product and transfer it to suitable tanks or containers for safe disposal;
- dispose of according to the local regulations.

#### 6.4. REFERENCE TO OTHER SECTIONS

Information regarding safe handling – see section 7.

#### SECTION 7: HANDLING AND STORAGE

# 7.1. PRECAUTIONS FOR SAFE HANDLING

- handle in accordance with good manufacturing practices and personal hygiene;
- avoid contact with skin and eyes;
- wash hands after use;
- wash any exposed skin immediately after any chemical contact;
- do not eat, drink and smoke in work areas;
- remove contaminated clothing and protective equipment before entering eating areas;
- wear protective equipment.

#### 7.2. <u>CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES</u> -store in a cool (5°C -35°C), dry, well ventilated area;

-keep containers upright and tightly closed; -keep away from food, oxidising substances, acids.

#### 7.3. SPECIFIC END USE(S)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. CONTROL PARAMETERS

## Substances with national occupational exposure limits:

Substance name and CAS number	OEL-TWA		STEL		Country, Publication
number	ррт	mg/m³	ррт	mg∕ m³	
Titanium dioxide [13463-67-7]	-	10	-	-	[Poland ]Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 (DZ.U. 2018 poz. 286

TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

Trade name: Manufacturer: Address: Telephone/Fax

GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

Titanium dioxide [13463-67-7]	-	10	-	-	[Belgium]
Titanium dioxide [13463-67-7]	-	6 total dust	-	12 total dust	[Denmark]
Titanium dioxide [13463-67-7]	-	11 inhalable aerosol	-	-	[France]
Titanium dioxide [13463-67-7]	-	0,3 (1)(2)(3)	-	2,4 (1)(2)(3)(4)	[Germany]
Titanium dioxide [13463-67-7]	-	10 (1) 4 (2)	-	-	[Ireland]
Titanium dioxide [13463-67-7]	-	10	-	-	[Latvia]
Titanium dioxide [13463-67-7]	-	10	-	15 (1)	[Romania]
Titanium dioxide [13463-67-7]	-	10 Inhalable aerosol	-	-	[Spain]
Titanium dioxide [13463-67-7]	-	5 Inhalable aerosol	-	-	[Sweden]

#### Remarks:

Germany: (1) Excluding ultrafine particles (2) Respirable fraction (3) Multiplied by the material density (4) 15 minutes average value.

Ireland: (1) Inhalable fraction (2) Respirable fraction.

Romania: (1) 15 minutes average value.

Source: Based on GESTIS International Limit values Database.

Substance name and CAS number	OEL	OEL-TWA		EL	Country, Publication
number	ррт	mg/m³	ррт	mg∕ m³	
Citral [5392-40-5]	-	27	-	54	[Poland ]Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 (DZ.U. 2018 poz. 286
Citral [5392-40-5	5(1)	32(1)(2)	-	-	[Ireland]
Citral [5392-40-5]	5(1)(2)	10	-	-	[Belgium]
Citral [5392-40-5]	5(1)	-	-	-	[Spain]

#### Remarks:

Belgium (1)(2) (1) Inhalable fraction and vapour (2) Additional indication "D" means that the absorption of the agent through the skin, mucous membranes or eyes is an important part of the total exposure. It can be the result of both direct contact and its presence in the air.

Ireland (1) Inhalable fraction and vapour

Spain (1) skin

Source: Based on GESTIS International Limit values Database.

# SAFETY DATA SHEET TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

Trade name: Manufacturer: Address: Telephone/Fax

GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

Substance name and CAS number	OEL-TWA		STEL		Country, Publication
number	ррт	mg∕m³	ррт	mg∕ m³	
D-Limonene [5989-27-5]	25	140	50	280	[Finland]
D-Limonene [5989-27-5]	5	28	20	110	[Germany (AGS)]
D-Limonene [5989-27-5]	25	140	-	-	[Norway]
D-Limonene [5989-27-5]	30	168	-	-	{Spain]
D-Limonene [5989-27-5]	7	40	14	80	[Switzerland]

The mixture does not contain substances with the national occupational exposure limit values that correspond to Union occupational exposure limit values in accordance with Directive 98/24/EC, including any notations as referred to in Article 2(3) of Commission Decision 2014/113/EU;

The mixture does not contain substances with the national occupational exposure limit values that correspond to Union limit values in accordance with Directive 2004/37/EC, including any notations as referred to in Article 2(3) of Decision 2014/113/EU;

The mixture does not contain substances with the national biological limit values that correspond to Union biological limit values in accordance with Directive 98/24/EC, including any notations as referred to in Article 2(3) of Decision 2014/113/EU;

DNEL (Derived No Effect Level)	VALUES determined for Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts
CAS No [68411-30-3]:	

Exposure time	Population	Route of exposure	Value
Long-term	Workers	dermal	170 mg/kg bw/day
Long-term	Workers	inhalation	12 mg/m <sup>3</sup>
Long-term	Consumers	oral	0,85 mg/kg bw/day
Long-term	Consumers	dermal	85 mg/kg bw/day
Long-term	Consumers	inhalation	3 mg/m <sup>3</sup>

DNEL (Derived No Effect Level) Values determined for Sodium Carbonate CAS No [497-19-8]:

Exposure time	Population	Route of exposure	Value
Long-term	Workers	inhalation	10 mg/m <sup>3</sup>

DNEL (*Derived No Effect Level*) Values determined for Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Exposure time	Population	Route of	Value
		exposure	

Trade name: Manufacturer: Address: Telephone/Fax TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION) GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

Long-term	Workers	dermal	4060 mg/kg bw/day
Long-term	Workers	inhalation	285 mg/m <sup>3</sup>
Long-term	Consumers	oral	24 mg/kg bw/day
Long-term	Consumers	dermal	2440 mg/kg bw/day
Long-term	Consumers	inhalation	85 mg/m <sup>3</sup>

DNEL (Derived No Effect Level) Values determined for Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:

Exposure time	Population	Route of exposure	Value
Long-term systemic	Workers	dermal	2158.33 mg/kg bw/day
Long-term	Workers	inhalation	152.22 mg/m <sup>3</sup>
Long-term	Consumers	dermal	1295 mg/kg bw/day
Long-term	Consumers	oral	12.95 mg/kg bw/day

DNEL (Derived No Effect Level) Values determined for Amides, C12-18(even-numbered) and C18(unsatd.), Nhydroxyethyl No CAS [90622-77-8]:

Exposure time	Route of exposure	DNEL	
		Workers	Consumers
Long-term	dermal	4,16 mg/kg	2,5 mg/kg
	oral	-	6,25 mg/kg
	inhalation	73,4 mg/m <sup>3</sup>	21,73 mg/ m³

DNEL (Derived No Effect Level) Values determined for Titanium Dioxide No CAS [13463-67-7]:

Exposure time	Group	Route of exposure	Value
Long-term, systemic	Worker	inhalation	10 mg/m <sup>3</sup>
Long-term, systemic	Consumer	oral	700 mg/kg bw/day

PNEC Values (*Predicted No Effect Concentration*) for Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

- aquatic environment - sweet water : 0.268 mg/L;

- aquatic environment - marine water: 0,0268 mg/L;

- soil: 35 mg/kg;

- sediment in sweet water: 8,1 mg/kg dwt;

- sediment in marine water: 6,8 mg/kg dwt.

# <u>PNEC Values (Predicted No Effect Concentration) for Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:</u>

- aquatic environment sweet water : 0.024 mg/L;
- aquatic environment marine water: 0,0024 mg/L;
- soil: 1,21mg/kg;
- sediment in sweet water: 0,767 mg/kg;

- sediment in marine water: 0.0767 mg/kg.

PNEC Values (Predicted No Effect Concentration) for Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

- aquatic environment - sweet water : 0.098 mg/L;

#### TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

Trade name:TCManufacturer:GLAddress:ul.Telephone/Fax+48

GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

- aquatic environment marine water: 0,0098 mg/L;
- soil: 0,631mg/kg;
- sediment in sweet water: 0,345 mg/kg;
- sediment in marine water: 3,45 mg/kg.

#### PNEC Values (Predicted No Effect Concentration) for Amides, C12-18(even-numbered) and C18(unsatd.), Nhydroxyethyl No CAS [90622-77-8]:

- aquatic environment sweet water : 0.007 mg/L;
- aquatic environment marine water: 0,0007 mg/L;
- soil: 0,12444mg/kg;
- sediment in sweet water: 0,261 mg/kg;
- sediment in marine water: 0.0261 mg/kg.

#### PNEC Values (Predicted No Effect Concentration) for Titanium Dioxide No CAS [13463-67-7]:

- aquatic environment sweet water : 0.127 mg/L;
- aquatic environment marine water: 1 mg/L;
- soil: 100 mg/kg;
- sediment in sweet water: 1000 mg/kg;
- sediment in marine water: 100 mg/kg.

## 8.2. EXPOSURE CONTROLS

#### Personal protective equipment:

#### Respiratory protection:

is not required during normal operations in a workplace.

#### Eye protection:

use protective goggles if eye contact might occur.

#### Skin protection:

 in case of long contact with product use protective gloves (nitrile rubber, neoprene, PVC) according to EN 374.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical statesolidColour:pink and dark blueOdour :characteristicOdour threshold:not determinedpH :dark blue part: 8,0 - 10,0 (1% solution)ph:pink part: 10,0 - 11,0 (1% solution)Melting point/freezing point:not determinedInitial boiling point and boiling range:not determinedFlash point:not combustibleUpper/lower flammability or explosive limits:not applicableVapour pressure:not determinedVapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not data for product;Viscosity:not applicableDecomposition temperature:not applicableExplosive properties:not applicableOxidising properties:not applicableOxidising properties:not applicable	Appearance:	
Odour :characteristicOdour threshold:not determinedpH :dark blue part: 8,0 - 10,0 (1% solution)pink part: 10,0 - 11,0 (1% solution)melting point/freezing point:not determinedInitial boiling point and boiling range:not determinedFlash point:not determinedFlash point:not determinedFlash point:not determinedFlash point:not determinedFlash point:not determinedFlash point:not determinedVapour rate:not combustibleUpper/lower flammability or explosive limits:not applicableVapour pressure:not determinedVapour density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not data for product;Viscosity:not applicableDecomposition temperature:not applicableDecomposition temperature:not applicableExplosive properties:not applicable	Physical state	solid
Odour threshold:not determinedpH :dark blue part: 8,0 - 10,0 (1% solution)pink part: 10,0 - 11,0 (1% solution)melting point/freezing point:not determinedInitial boiling point and boiling range:not determinedFlash point:not determinedFlash point:not determinedFlash point:not determinedFlash point:not determinedFlash point:not determinedFlammability (solid, gas):not combustibleUpper/lower flammability or explosive limits:not applicableVapour pressure:not determinedVapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not data for product;Viscosity:not applicableDecomposition temperature:not applicableExplosive properties:not applicable	Colour:	pink and dark blue
pH :dark blue part: 8,0 - 10,0 (1% solution) pink part: 10,0 - 11,0 (1% solution)Melting point/freezing point:not determinedInitial boiling point and boiling range:not determinedFlash point:not determinedFlash point:not applicableEvaporation rate:not determinedFlammability (solid, gas):not combustibleUpper/lower flammability or explosive limits:not applicableVapour pressure:not determinedVapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:no data for product;Viscosity:not applicableDecomposition temperature:not applicableDecomposition temperature:not applicableDecomposition temperature:not applicableDecomposition temperature:not applicableExplosive properties:not applicable	Odour :	characteristic
pink part: 10,0 – 11,0 (1% solution)Melting point/freezing point:not determinedInitial boiling point and boiling range:not determinedFlash point:not applicableEvaporation rate:not determinedFlammability (solid, gas):not combustibleUpper/lower flammability or explosive limits:not applicableVapour pressure:not determinedVapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not data for product;Viscosity:not applicableExplosive properties:not applicable	Odour threshold:	not determined
Melting point/freezing point:not determinedInitial boiling point and boiling range:not determinedFlash point:not applicableEvaporation rate:not determinedFlammability (solid, gas):not combustibleUpper/lower flammability or explosive limits:not applicableVapour pressure:not determinedVapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not data for product;Viscosity:not applicableExplosive properties:not applicable	pH :	dark blue part: 8,0 – 10,0 (1% solution)
Initial boiling point and boiling range:not determinedFlash point:not applicableEvaporation rate:not determinedFlammability (solid, gas):not combustibleUpper/lower flammability or explosive limits:not applicableVapour pressure:not determinedVapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not applicableDecomposition temperature:no data for product;Viscosity:not applicableExplosive properties:not applicable		pink part: 10,0 – 11,0 (1% solution)
Flash point:not applicableEvaporation rate:not determinedFlammability (solid, gas):not combustibleUpper/lower flammability or explosive limits:not applicableVapour pressure:not determinedVapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not applicableDecomposition temperature:not data for product;Viscosity:not applicableExplosive properties:not applicable	Melting point/freezing point:	not determined
Evaporation rate:not determinedFlammability (solid, gas):not combustibleUpper/lower flammability or explosive limits:not applicableVapour pressure:not determinedVapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not applicableDecomposition temperature:not applicableExplosive properties:not applicable	Initial boiling point and boiling range:	not determined
Flammability (solid, gas):not combustibleUpper/lower flammability or explosive limits:not applicableVapour pressure:not determinedVapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not applicableDecomposition temperature:no data for product;Viscosity:not applicableExplosive properties:not applicable	•	not applicable
Upper/lower flammability or explosive limits: not applicableVapour pressure:not determinedVapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not applicableDecomposition temperature:not data for product;Viscosity:not applicableExplosive properties:not applicable		not determined
Vapour pressure:not determinedVapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not determinedDecomposition temperature:not data for product;Viscosity:not applicableExplosive properties:not applicable		
Vapour density:not determinedRelative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not applicableDecomposition temperature:no data for product;Viscosity:not applicableExplosive properties:not applicable	Upper/lower flammability or explosive limits:	not applicable
Relative density:not determinedSolubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not applicableDecomposition temperature:no data for product;Viscosity:not applicableExplosive properties:not applicable	• •	
Solubility(ies):soluble in water;Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not applicableDecomposition temperature:no data for product;Viscosity:not applicableExplosive properties:not applicable		
Partition coefficient: n-octanol/water:not determinedAuto-ignition temperature:not applicableDecomposition temperature:no data for product;Viscosity:not applicableExplosive properties:not applicable		
Auto-ignition temperature:not applicableDecomposition temperature:no data for product;Viscosity:not applicableExplosive properties:not applicable		
Decomposition temperature:no data for product;Viscosity:not applicableExplosive properties:not applicable		
Viscosity: not applicable Explosive properties: not applicable		
Explosive properties: not applicable		•
		••
Oxidising properties: not applicable		
	Oxidising properties:	not applicable

Trade name: Manufacturer: Address: Telephone/Fax

#### TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

#### 9.2. **OTHER INFORMATION**

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. REACTIVITY

The reactivity hazards of mixture has not been tested.

#### 10.2 CHEMICAL STABILITY

Product is stable under recommended conditions of storage.

#### **POSSIBILITY OF HAZARDOUS REACTIONS** 10.3.

None under normal conditions.

#### 10.4. **CONDITIONS TO AVOID**

Keep away from humidity, high temperatures; keep away from source of heat and source of fire.

#### 10.5. INCOMPATIBLE MATERIALS

Strong mineral acids.

#### 10.6. HAZARDOUS DECOMPOSITION PRODUCTS

Sulphur oxides.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

#### Acute toxicity:

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

ATE mix (oral) =	= 3270 mg/kg. (calculated according point 3.1.3.6.1. Annex	I of Regulation	CLP 1272/2008).
Acute toxicity of	f Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No	[68411-30-3]:	
LD50 (oral)	1020 ma/ka (rat):		

LD50 (oral):	1020 mg/kg (rat);	
LD50 (dermal):		
Acute toxicity of Alcohols	s, C12-15, ethoxylated CAS No [68131-39-5]:	
LD50 (oral):	1700 mg/kg (rat);	
	carbonate CAS No [497-19-8]:	
LD50 (oral):	2800mg/kg (rat);	
LD50 (dermal):	> 2000mg/kg;	
LC50 (inhalation):		
	1200mg/m <sup>3</sup> (mouse).	
LC50 (inhalation):	800mg/m³ (guinea pig).	
Acute toxicity of Sulfo	onic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium	
salts CAS No [68439-57-6]:		
LD50 (oral):	2079 mg/kg (rat);	
LD50 (dermal):	6300-13500mg/kg (rabbit);	
LC50 (inhalation):	>52 mg/l/4hours (rat).	
Acute toxicity of Amic	les, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:	
LD50 (oral):	>5000 mg/kg (rat).	
LD50 (dermal):	>2000 mg/kg (rabbit).	
Acute toxicity of - Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:		
LD50 (oral):	~ 2600 mg/kg (rat).	

#### Skin corrosion/irritation:

The mixture has not been tested. Based on the available data of the ingredients the mixture is classified as - Causes skin irritation.

Irritant effect of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

Causes skin irritation. (test OECD 404, rabbit).

Ilrritant effect of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:

Test OECD 404 Acute Dermal Irritation/Corrosion – rabbit- Causes skin irritation.

Irritant effect of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]: Causes skin irritation.

Irritant effect of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Causes skin irritation.

Trade name: Manufacturer: Address: Telephone/Fax

#### TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

#### Serious eye damage/eye irritation:

The mixture has not been tested. Based on the available data of the ingredients the mixture is

classified as - Causes serious eve damage.

Irritant effect of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No[68411-30-3]:

Causes serious eye damage (test OECD 405, rabbit).

Irritant effect of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:

Test OECD 405 Acute Eye Irritation (rabbit) – causes eye damage.

Irritant effect of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

Causes serious eye damage.

Irritant effect of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Causes serious eye irritation.

Irritant effect of Sodium carbonate CAS No [497-19-8]:

Causes serious eve irritation.

Irritant effect of Alcohols, C12-15, ethoxylated CAS No [68131-39-5]:

Causes serious eye irritation.

#### **Respiratory or skin sensitization:**

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met, but the mixture contains: 3,7-dimethyloctan-3-ol, Coumarin, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8tetramethyl-2-naphthyl)ethan-1-one; may produce an allergic reaction.

Skin sensitization of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No[68411-30-3]:

Not classified (test OECD 406, guinea pig).

Sensitization effect of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:

Test OECD 406 skin sensitization (dermal, guinea pig), result - has no sensitization properties.

Sensitization effect of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]: Not classified.

Sensitization effect of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]: Not classified.

#### Germ cell mutagenicity:

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Mutagenicity effect of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

Test OECD 471 Bacterial Reverse Mutation test – result: negative.

Test OECD 476 In vitro Mammalian Cell Gene Mutation test - result: negative.

Test OECD 473 In vitro Mammalian Chromosomal Aberration test - result: negative.

Mutagenicity effect of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:

Test OECD 471 Bacterial Reverse Mutation Test, result- negative;

Test OECD 476 In vitro Mammalian Cell Gene Mutation Test, result- negative;

Test OECD 473 In vitro Mammalian Chromosomal Aberration Test, result- negative.

Mutagenicity effect of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]: Ames test - result - negative.

Mutagenicity effect of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:

Not classified.

Mutagenicity effect of Sodium carbonate CAS No [497-19-8]:

Not classified.

#### Carcinogenicity:

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Carcinogenicity of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts No CAS [68411-30-3]:

No known significant effects or critical hazards.

Carcinogenicity of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:

Test – rat – exposure time: 2 years (oral), result- negative.

Test - mouse - exposure time : 92 weeks (3 days in week, dermal), result- negative.

Carcinogenicity of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]:

#### TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

Manufacturer:GLOBAL COSMED GROUP S.AAddress:ul. Kuziennicza 15, 59-400 JAWORTelephone/Fax+48 76 870 30 31/+48 76 870 32 63

#### Not classified.

Trade name:

<u>Carcinogenicity of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:</u> Not classified. <u>Carcinogenicity of Sodium carbonate CAS No [497-19-8]:</u> Not classified.

#### Reproductive toxicity:

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Reproductive toxicity of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

Test OECD 416 Two-Generation Reproduction Toxicity Study (rat) – oral: NOAEL: 350 mg/kg bw/day. <u>Reproductive toxicity of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene,</u>

# sodium salts CAS No[68439-57-6]:

Test OECD 414 Prenatal Developmental Toxicity Study, rabbit, result: 2 mg/kg NOAEL. <u>Reproductive toxicity of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]:</u> Not classified. <u>Reproductive toxicity of Sodium carbonate CAS No [497-19-8]:</u>

Not classified.

#### STOT – single exposure:

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

#### STOT - repeated exposure:

The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

#### Aspiration hazard:

Not applicable, the mixture is solid.

#### Routes of exposure

The mixture has not been tested - no available data.

#### Symptoms related to the physical, chemical and toxicological characteristics:

inhalation – none;
skin contact - irritation, redness and pain of skin;
eye contact – serious damage to eyes; irritation, pain, watering, redness;
ingestion – irritant to mouth, throat and stomach, may cause nausea, vomiting.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure: No available data.

No available data.

#### Interactive effects:

No available data.

#### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1. <u>TOXICITY</u>

The mixture has not been tested. Based on the available data of the ingredients the mixture is classified as -Harmful to aquatic life with long lasting effects.

Toxicity Of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]:

Fish - **LC50: 1-5 mg/L/96h**;

Algae - EC50: 1-5 mg/L/72h;

Daphnia - EC50: 5-15 mg/L/48h.

Long term study: NOEC (Fish, 28-196 days): 0,23 - 3,2 mg/L

Long term study: NOEC (Algae, 15-28 days): 3,1 – 4,0 mg/L.

Long term study: NOEC (Daphnia, 2-32 days): 0,59 - 4,5mg/L.

Acute toxicity of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts CAS No [68439-57-6]:

Trade name: Manufacturer: Address: Telephone/Fax

# TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

Test ISO 10253:2006 - Marine algal growth inhibition test with Skeletonema costatum and Phaeodactylum tricornutum EC50: 5,2mg/L/72 hours. Test OECD 202 Daphnia sp. Acute Immobilisation Test, EC50: 4.53 mg/L/48hours. Test OECD 209 Activated Sludge, Respiration Inhibition Test, IC50: 230 mg/L/3 hours, bacteria, Test OECD 203 Fish, Acute Toxicity Test, LC50: 4,2 mg/L/96 hours. Acute toxicity of Sodium carbonate CAS No [497-19-8]: Fish – LC50: 300mg/l/96h (Lepomis macrochirus; Daphnia - LC50: 200-227 mg/l/48h. Acute toxicity of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-8]: Fish - LC50: 10-100 mg/L - method ISO 7346/2 (semistatic). Daphnia - EC50: 10-100 mg/L - method OECD 202. Algae- EC50: 1-10 mg/L - method: OECD 201/DIN 38412. Bacteria - EC0: >100mg/L - method OECD 209. Acute toxicity of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]: Fish - LC50: 17 mg/L/96h.- (Cyprinus carpio). Daphnia – EC50: 15mg/L/48h (Daphnia magna). Algae – ERC50: >20mg/L/72h. Acute toxicity of Alcohols, C12-15, ethoxylated CAS No [68131-39-5]: Fish- LC50: 1-10 mg/L/96h 12.2. PERSISTENCE AND DEGRADABILITY The mixture has not been tested - no available data. Persistence and degradability of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]: Biodegradation: >99%, (OECD Screening test 301D and 303A); Biodegradation: readily biodegradable in the OECD 301B CO<sub>2</sub> Evolution test: 85% biodegradability in 29 days. Ready Biodegradability:>70% (OECD 301D); Ready Biodegradability: >60% Oxygen uptake (OECD 301F); Inherent test: 95-98% (OECD 302 A, B); Simulation test: 80-95% (OECD 303A). Persistence and degradability of Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)alkene, sodium salts CAS No [68439-57-6]: Readily biodegradable. Persistence and degradability of Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl No CAS [90622-77-<u>8]:</u>

Readily biodegradable.

Persistence and degradability of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]: Readily biodegradable > 93% (28 days).

Persistence and degradability of Sodium carbonate CAS No [497-19-8]:

Substance is inorganic and disassociate in water.

#### 12.3. **BIOACCUMULATIVE POTENTIAL**

The mixture has not been tested - no available data. Bioaccumulative potential of Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No [68411-30-3]: BCF: 2-1000. It is not bioaccumulative. Bioaccumulative potential of Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts CAS No [68439-<u>57-6]:</u> LogPow: -1,3; BCF: 70.8: It has low potential to accumulate. Bioaccumulative potential of Sulfuric acid, mono-C12-18-alkyl esters, sodium salts CAS No [68955-19-1]: BCF: -2,1 (OECD 107). 12 4 MOBILITY IN SOIL

The mixture has not been tested - no available data.

#### 12.5. RESULTS OF PBT AND vPvB ASSESSMENT

The mixture has not been tested - no available data. The components of mixture are not PBT and vPvB.

#### 12.6. **OTHER ADVERSE EFFECTS**

Trade name: Manufacturer: Address: Telephone/Fax

# TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION) GLOBAL COSMED GROUP S.A

ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

The mixture has not been tested - no available data.

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. WASTE TREATMENT METHODS

- dispose of according to local regulations;
- avoid disposing into drainage systems and into the environment;
- contaminated packaging dispose in the same way as the product itself.
- non-contaminated packages may be recycled

#### **SECTION 14: TRANSPORT INFORMATION**

#### ADR/RID/ADN/IMDG/IATA:

- 14.1. <u>UN NUMBER :</u> not applicable.
- 14.2. UN PROPER SHIPPING NAME: not applicable.
- 14.3. TRANSPORT HAZARD CLASS(ES): not applicable.
- 14.4. PACKING GROUP: not applicable.
- 14.5. <u>ENVIRONMENTAL HAZARDS:</u> The mixture has not been tested - no available data.
- 14.6. <u>SPECIAL PRECAUTIONS FOR USER</u> See sections 6 to 8 of this Safety Data Sheet.
- 14.7. TRANSOPORT IN BULK ACCORDING TO ANNEX II OF MARPOL AND THE IBC CODE Not applicable.

#### SECTION 15: REGULATORY INFORMATION

The mixture is not subject to Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer, Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC or Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

#### 15.1 <u>SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE</u> <u>SUBSTANCE OR MIXTURE</u>

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Council Directive 98/24/EC of 7 April 1998 on the protection of the health an ad safety of workers from the risks related to chemical agents at work.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

Commission Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission directive 2000/39/EC.

Directive 2004/37/EC of the European Parliament and of the Council of 29 April 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

Trade name: Manufacturer: Address: Telephone/Fax

#### TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION)

GLOBAL COSMED GROUP S.A ul. Kuziennicza 15, 59-400 JAWOR +48 76 870 30 31/+48 76 870 32 63

#### 15.2. CHEMICAL SAFETY ASSESSMENT

The chemical safety assessment has not been carried out for the mixture.

#### SECTION 16: OTHER INFORMATION

The classification of the mixture is based on:

- the category "acute toxicity" an additive method;
- the category "skin corrosion/irritation" an additive method;
- the category "serious eye damage/eye irritation" an additive method;
- the category "respiratory or skin sensitization" contents of sensitizing ingredients;
- the category "mutagenicity"- contents of classified ingredients;

- the category "carcinogenicity" contents of classified ingredients; the category "reproductive toxicity" contents of classified ingredients; the category "STOT repeated exposure" contents of classified ingredients; the category "STOT single exposure" contents of classified ingredients;
- the category "aspiration hazard" an additive method;
- the category 'ecotoxicological properties" an additive method.

#### Abbreviations and acronyms used in the safety data sheet:

PBT – Persistent, Bioaccumulative, Toxic;

- vPvB Very Persistent and very Bioaccumulative;
- LD50 Lethal Dose, 50%;
- LC50 Lethal Concentration 50%:
- EC50 half maximal effective concentration;
- IC50 half maximal inhibitory concentration;
- OECD Organization for Economic Cooperation and Development;
- NOAEL No Observed Adverse Effect Level;
- NOEC No Observed Effect Concentration;
- BCF bioconcentration factor.
- logPow octanol water partition coefficient;
- OEL Occupational Exposure Limit;
- TWA Eight hour Time Weighted Average;
- STEL Short Term Exposure Limit.
- ADR European Agreement concerning the International Carriage of Dangerous Goods by Road.
- RID Regulations concerning the International Carriage of Dangerous Goods by Rail (RID).
- ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterwavs.
- IMDG International Maritime Dangerous Goods Code.
- IATA International Air Transport Association.

#### List of hazard statements and precautionary statements which are not written out in full under Sections 2 to 15:

Acute Tox. 4	Acute toxicity of category 4.
Eye Dam. 1	Eye Damage of category 1.
Eye Irrit. 2	Eye Irritation of category 2.
Skin Irrit. 2	Skin Irritation of category 2.
Skin Sens. 1B	Skin Sensitization of category 1B.
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard of category 1.
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard of category 1.
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard of category 2.
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard of category 3.

- Harmful if swallowed. H302
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- Causes serious eye damage. H318
- H319 Causes serious eye irritation.
- Very toxic to aquatic life. H400
- Very toxic to aquatic life with long lasting effects. H410
- Toxic to aquatic life with long lasting effects. H411

# SAFETY DATA SHEET Trade name: TOILET BLOCK MOLE COLOR POWER WATER LILY (6+ACTION) Manufacturer: GLOBAL COSMED GROUP S.A Address: ul. Kuziennicza 15, 59-400 JAWOR Telephone/Fax +48 76 870 30 31/+48 76 870 32 63 H412 Harmful to aquatic life with long lasting effects.

The information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. This document is neither a quality description of the product nor a guarantee of particular properties. The information are to be treated as aid to safety in transport, storage and usage of the product. This does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change.